



SØKORTRETTELSER

DANISH CHART CORRECTIONS

27
2012

Rettelse nr. / Correction no. 236 - 245

Kort / Chart	Rettelse nr. / Correction no.	Kort / Chart	Rettelse nr. / Correction no.
102 (INT 1302)	236	131 (INT 1331)	241, 242
105 (INT 1450)	237, 238	152 (INT 1373)	243, 244
112 (INT 1380)	239	1416	245
115	240		

Søkortrettelser / Chart Corrections

på / via

www.kms.dk

"Søkortrettelser" indeholder de officielle rettelser til danske, grønlandske og færøske søkort.

Oplysningerne i parentes efter rettelserne refererer til EFS (nr./løbenr. år) eller anden kilde.

"Chart Corrections" contains the official corrections to Danish, Greenland and Faroese charts.

The figures in brackets after the corrections refer to EFS (no./serial no. year) or other source.

© Kort & Matrikelstyrelsen 2012


Gengivelse er tilladt med tydelig kildeangivelse.

Havneplaner mærket "© Kort & Matrikelstyrelsen" må ikke gengives eller reproducere medmindre der foreligger skriftlig tilladelse hertil.

Reproduction is permitted with clear source indication.

Port plans labelled "© Kort & Matrikelstyrelsen" must not be reproduced or duplicated unless there is written consent.

Rettelse nr. /
Correction no.
Kort / Chart

236 102 (INT 1302)	Tunø Knob Udtag forbudsområde <i>Delete restricted area</i>		55°57,7'N 010°21,8'E (27/717 2012)
237 105 (INT 1450)	Løgstør NE Flyt fra 1) til 2) <i>Move from 1) to 2)</i>		1) 56°58,630'N 009°16,315'E 2) 56°58,668'N 009°16,393'E (27/724 2012)
238 105 (INT 1450)	Dragbanke Flyt fra 1) til 2) <i>Move from 1) to 2)</i>		1) 57°01,683'N 009°38,670'E 2) 57°01,700'N 009°38,690'E (27/722 2012)
239 112 (INT 1380)	Tunø Knob Udtag forbudsområde <i>Delete restricted area</i>		55°57,7'N 010°21,8'E (27/717 2012)
240 115	Nisted SW Tilføj / <i>Insert</i>		55°25,703'N 010°23,515'E (KMS, juli 2012)
241 131 (INT 1331)	Helsingborg NW Tilføj mellem 1) og 2) <i>Insert between 1) and 2)</i>	---	1) 56°03,762'N 012°40,460'E 2) 56°03,825'N 012°40,668'E (Ufs 407/7992 2012)
242 131 (INT 1331) Plan A	Helsingborg NW Tilføj mellem 1) og 2) <i>Insert between 1) and 2)</i>	---	1) 56°03,762'N 012°40,460'E 2) 56°03,825'N 012°40,668'E (Ufs 407/7992 2012)
243 152 (INT 1373)	Grydeløb Flyt fra 1) til 2) <i>Move from 1) to 2)</i> Flyt fra 3) til 4) <i>Move from 3) to 4)</i>	 	1) 55°04,109'N 010°16,611'E 2) 55°04,080'N 010°16,600'E 3) 55°03,917'N 010°16,728'E 4) 55°03,956'N 010°16,730'E (27/715 2012)

244	Grydeløb		
152 (INT 1373)	Flyt fra 1) til 2)		1) 55°04,109'N 010°16,611'E
Plan B	Move from 1) to 2)		2) 55°04,080'N 010°16,600'E
	Flyt fra 3) til 4)		3) 55°03,917'N 010°16,728'E
	Move from 3) to 4)		4) 55°03,956'N 010°16,730'E

(27/715 2012)

245	Agto W		
1416	Tilføj planramme mellem 1) - 4)		1) 67°57,650'N 053°37,670'W
	Insert plan border between 1) - 4)		2) 67°56,310'N 053°37,670'W
			3) 67°56,310'N 053°41,850'W
			4) 67°57,650'N 053°41,850'W

Tilføj i planrammen
Insert in plan border

Kort 1451

(KMS, juli 2012)

Diverse meddelelser / *Miscellaneous information*

Acrobat Reader 9 udskriftinstruktion:


Sørg for at "Sideskalering" er sat til "Ingen" i print-menuen.

Anvend en farveprinter med mindst 300 dpi opløsning til illustrationer.

Brug 80 g/m² papir for et ordentligt resultat af illustrationer.

Illustrationer overstiger aldrig ISO A4 papirstørrelse.

Når en fil overstiger størrelsen af 1 mb, vil filstørrelsen blive vist.



Acrobat Reader 9 print instructions:

Make sure to set 'Page Scaling' to 'None' in the print menu.

Use a colour printer with minimum 300 dpi resolution for the block corrections.

Use 80 g/m² paper for a proper result for the block corrections.

The block corrections never exceed the ISO A4 paper size.

When a file exceeds the size of 1 mb the file size will be shown.

